Titleist®

CUSTOM CLUB OPTIONS

2023년 08월 업데이트

DRIVER & FAIRWAY SHAFTS

	ALDILA	Type	Flex	Weight (g)	Torque	Launch
1	**Rogue Black 60**	Standard	S	68	3.6˚	Mid
	DUMINA					
2	**AutoFlex** (Driver Only)	Up-charge	SF305X SF405 SF505 SF505X SF505XX	41 44 50 53 57	-	-
	FUJIKURA					
3	**Speeder Evolution III 569**	Up-charge	R S	56 59	4.5	Mid/High
4	**Speeder Evolution III 661**	Up-charge	S	66.5	3.8	Mid
5	**Speeder Evolution III 757**	Up-charge	S	75.5	3.0	Mid
6	**Speeder Evolution V 569**	Up-charge	S	59.5	4.5	Mid/High
7	**Speeder Evolution V 661**	Up-charge	S	66	3.7	Mid
8	**Speeder Evolution V 757**	Up-charge	S	75.5	3.0	Mid
9	**Speeder Evolution VI 474**	Up-charge	R	47	5.2	High
10	**Speeder Evolution VI 569**	Up-charge	R S	53 56	4.9	Mid
11	**Speeder Evolution VI 661**	Up-charge	S	65.5	3.9	Mid
12	**Speeder TR 569**	Up-charge	S	56.5	4.4	Mid
13	**Speeder TR 661**	Up-charge	S	65.5	3.5	Low/Mid
14	**Speeder TR 757**	Up-charge	S	75	2.9	Mid/High
15	**Speeder NX 40**	Up-charge	R	47	5.4	Mid/High
16	**Speeder NX 50**	Up-charge	R S	51.5 54.5	4.6	Mid/High
17	**Speeder NX 60**	Up-charge	S	63.5	3.7	Mid/High
18	**Titleist Speeder 519 Evolution**	Standard	R SR S	48 50 52	5.0 4.8 4.6	Mid/High
19	**Ventus Blue VeloCore 6**	Up-charge	S X	65 66	3.1	Mid
20	**Ventus Blue VeloCore 7**	Up-charge	S X	76 77.5	3.0 2.9	Mid
21	**Ventus Black VeloCore 6**	Up-charge	S X	64 65	3.4 3.1	Low
22	**Ventus Black VeloCore 7**	Up-charge	S X	77 78	2.8	Low
23	**Ventus TR Blue 5**	Up-charge	S	58	3.3	Mid
24	**Ventus TR Blue 6**	Up-charge	S X	68	3.1 2.9	Mid
25	**Ventus TR Blue 7**	Up-charge	S X	77.5 78.5	2.9 2.7	Mid
	GRAPHITE DESIGN					
26	**Tour AD SL-II 4**	Up-charge	RR1	49	5.3	High
27	**Tour AD DJ-5**	Up-charge	R1 S	55 57	4.5	Mid/High
28	**Tour AD DJ-6**	Up-charge	SR S	64 66	3.2 3.1	Mid
29	**Tour AD DJ-7**	Up-charge	S X	74 76	2.9	Mid
30	**Tour AD DI-5**	Up-charge	R1 S	55 57	4.7	Mid
31	**Tour AD DI-6**	Up-charge	S X	65 67	3.3	Low/Mid

DRIVER & FAIRWAY SHAFTS

	GRAPHITE DESIGN	Type	Flex	Weight (g)	Torque	Launch
32	Tour AD DI-7	Up-charge	S X	74 75	3.2 3.1	Low/Mid
33	Tour AD DI-8	Up-charge	S	84	3.0	Low
34	Tour AD BB-5	Up-charge	R1	55	4.3	Mid
35	Tour AD BB-6	Up-charge	SR	63	3.2	Low/Mid
36	Tour AD BB-7	Up-charge	S X	74 76	3.0	Low
37	Tour AD GT-5	Up-charge	R1 S	55 57	4.3	Mid/High
38	Tour AD GT-6	Up-charge	SR S	64 66	3.1	Mid
39	Tour AD GT-7	Up-charge	S X	74 76	2.9	Mid
40	Tour AD GT-8	Up-charge	S X	86 88	2.6	Mid
41	Tour AD MT-5	Up-charge	R1	54	4.7	Mid
42	Tour AD MT-6	Up-charge	SR X	62 65	3.3	Mid
43	Tour AD MT-7	Up-charge	S X	73 75	3.1	Mid
44	Tour AD MT-8	Up-charge	S X	82 84	2.9	Mid
45	Tour AD MJ-6	Up-charge	SR S	61 62	3.4	Mid
46	Tour AD MJ-7	Up-charge	S X	71 72	3.2	Mid
47	Tour AD MJ-8	Up-charge	S X	83 84	2.8	Mid
48	Tour AD PT-5	Up-charge	R1 S	53 54	5.8	Mid
49	Tour AD PT-6	Up-charge	SR S X	62 63 64	3.6 3.5 3.5	Mid
50	Tour AD PT-7	Up-charge	S	72	3.4	Mid
51	Tour AD GP-5	Up-charge	R1 S	56 57	4.3	Mid
52	Tour AD GP-6	Up-charge	SR S	64 66	3.1	Low/Mid
53	Tour AD GP-7	Up-charge	S	75	2.9	Low
54	Tour AD TP-5	Up-charge	R1 S	56 57	4.4	Mid
55	Tour AD TP-6	Up-charge	SR S X	64 65 67	3.2	Low/Mid
56	Tour AD TP-7	Up-charge	S X	73 75	3.0	Low/Mid
57	Tour AD IZ-4	Up-charge	R2	46	5.6	Mid
58	Tour AD IZ-5	Up-charge	R1 S X	54 56 58	4.5 4.4 4.4	Mid
59	Tour AD IZ-6	Up-charge	SR S X	62 63 65	3.2	Mid
60	Tour AD IZ-7	Up-charge	S	72	3.1	Mid
61	Tour AD IZ-8	Up-charge	S	82	2.9	Mid

DRIVER & FAIRWAY SHAFTS

	GRAPHITE DESIGN	Type	Flex	Weight (g)	Torque	Launch
62	**Tour AD XC-5**	Up-charge	S X	56 58	4.2	Mid
63	**Tour AD XC-6**	Up-charge	S X	64 65	3.2	Low/Mid
64	**Tour AD XC-7**	Up-charge	S X	73 75	3.0	Low/Mid
65	**Tour AD HD-5**	Up-charge	R1 S X	57 59 61	4.4	Mid
66	**Tour AD HD-6**	Up-charge	SR S X	65 66 68	3.1	Mid
67	**Tour AD HD-7**	Up-charge	S X	74 76	2.9	Low/Mid
68	**Tour AD UB-5**	Up-charge	S X	57 59	4.4	Mid
69	**Tour AD UB-6**	Up-charge	S X	65 66	3.2	Low/Mid
70	**Tour AD UB-7**	Up-charge	S X	74 75	3.0	Low/Mid
71	**Tour AD CQ-5**	Up-charge	R1 S X	54 56 59	4.6 4.5 4.5	Mid/High
72	**Tour AD CQ-6**	Up-charge	SR S X	62 64 66	3.4	Mid/High
73	**Tour AD CQ-7**	Up-charge	S X	73 74	3.2	Mid/High
74	**Titleist Tour AD 50**	Standard	R S	50 52	4.5	Mid
75	**Titleist Tour AD 60**	Standard	SR S	58 60	4.1 3.9	Mid
76	**Tour AD F-65** (Fairway Only)	Up-charge	SR S	68	3.3	Mid/High
77	**Tour AD F-75** (Fairway Only)	Up-charge	S	77	3.2	Mid/High
	MCA					
78	**Fubuki K 50**	Up-charge	R	54	4.5	Mid/High
79	**Fubuki K 60**	Up-charge	S	63	3.7	Mid/High
80	**Fubuki V 40**	Up-charge	LITE	46.5	7.4	Mid/High
81	**Fubuki V 50**	Up-charge	R S	54 58	5.7 5.5	Mid/High
82	**Fubuki V 60**	Up-charge	S	65	4.9	Mid/High
83	**Bassara P 53**	Up-charge	R	54	4.4	Mid/High
84	**Bassara K 35**	Standard	L	40	8.7	High
85	**Bassara K 40**	Standard	R	45	8.3	High
86	**Bassara K White 35**	Standard	L	40	8.7	High
87	**Bassara K White 40**	Standard	R	45	8.3	High
88	**Kuro Kage XM 60**	Standard	SR S	62 63	3.7	Mid
89	**Kuro Kage XM 70**	Standard	S	72	3.2	Mid
90	**Kuro Kage Black 45**	Standard	L	50	7.0	High
91	**Diamana 'ahina 70**	Up-charge	S	71	2.7	Low/Mid
92	**Diamana 'ahina 80**	Up-charge	S X	83 84	2.7	Low
93	**Diamana 'ilima 60**	Up-charge	R S	58 61	3.5	Mid
94	**Diamana W 50**	Up-charge	R	55	4.3	Low/Mid
95	**Diamana W 60**	Up-charge	R	62	3.3	Low
96	**Diamana R 50**	Up-charge	R	55	4.1	Mid/High
97	**Diamana R 60**	Up-charge	S	64	3.5	Mid
98	**Diamana LTD M+ Red 50**	Standard	R	48	5.8	High
99	**Diamana LTD M+ Red 60**	Standard	R S	54 56	5.5 4.8	Mid/High
100	**Diamana LTD S+ Blue 60**	Standard	R	64	4.2	Mid

DRIVER & FAIRWAY SHAFTS

MCA		Type	Flex	Weight (g)	Torque	Launch
101	Diamana LTD S+ Blue 70	Standard	R S	67 74	4.2 3.7	Mid
102	Diamana BF 50	Up-charge	R S	54 58	5.0	Mid
103	Diamana BF 60	Up-charge	SR S	62 66	3.9	Mid
104	Diamana DF 50	Up-charge	R S	54 58	4.7 4.6	Low/Mid
105	Diamana DF 60	Up-charge	S X	64 66	3.8	Low/Mid
106	Diamana DF 70	Up-charge	S	73	3.1	Low/Mid
107	Diamana ZF 50	Up-charge	R S	55 58	4.7 4.6	Mid
108	Diamana ZF 60	Up-charge	S X	65 69	3.8	Mid
109	Diamana ZF 70	Up-charge	S X	74 77	3.4	Low/Mid
110	Diamana TB 50	Up-charge	R S	56	5.3 5.0	Mid
111	Diamana TB 60	Up-charge	S X	64 65	3.7	Mid
112	Diamana TB 70	Up-charge	S X	73 76.5	3.1	Mid
113	Diamana PD 50	Up-charge	S X	53 56	4.8	Low/Mid
114	Diamana PD 60	Up-charge	S X	64 65	3.3 3.2	Low
115	Diamana PD 70	Up-charge	S TX	74 76	2.8 2.7	Low
116	Tensei CK Pro Orange 50	Up-charge	S X	57 58.5	4.9	Low
117	Tensei CK Pro Orange 60	Up-charge	S TX	63.5 67	3.5 3.4	Low
118	Tensei CK Pro Orange 70	Up-charge	S TX	71.5 74	2.9 2.8	Low
119	Tensei 1K Pro White 50	Up-charge	S	56	4.5	Low
120	Tensei 1K Pro White 60	Up-charge	S X	62 65	3.8	Low
121	Tensei 1K Pro White 70	Up-charge	S X	71 75	3.4 3.3	Low
122	Tensei 1K Pro Orange 50	Up-charge	S X	56 58	3.9 3.8	Low
123	Tensei 1K Pro Orange 60	Up-charge	S X	68 70	3.0	Low
124	Tensei 1K Pro Orange 70	Up-charge	S X	77 79	2.7	Low
125	Tensei 1K Black 65	Standard	S X	67 68	3.6 3.5	Low
126	Tensei 1K Black 75	Standard	S X	76 78	3.6 3.5	Low
127	Tensei AV Blue 55 with SFW	Standard	S	58	4.9	Mid/High
128	Tensei AV Blue 75	Standard	R S	74 77	4.1 3.9	Mid
129	Tensei AV RAW Blue 55 with SFW	Standard	R S	57 58	5.4 4.9	Mid/High
130	Tensei AV RAW Blue 65	Standard	R S	65 67	4.4 3.9	Mid
131	Tensei AV RAW Blue 75	Standard	R S	74 77	4.1 3.9	Mid
132	Tensei AV RAW White 65	Standard	S X	66 69	3.5 3.4	Low/Mid
133	Tensei AV RAW White 75	Standard	S X	75 77	3.1 3.0	Low
134	Tensei AV Blue with Xlink Tech 65	Standard	R S	66 68	4.4 3.9	Mid
135	Tensei AV Blue with Xlink Tech 75	Standard	R S	75 78	4.1 3.9	Mid
UST MAMIYA						
136	Attas7 Punch 5	Up-charge	S	57	5.3	Mid
137	Attas7 Punch 6	Up-charge	S	67	4.0	Mid

HYBRID & UTILITY SHAFTS

		Type	Flex	Weight (g)	Torque	Launch
ALDILA						
138	**Rogue Black HYB 85**	-	S	88	2.8	Mid/High
FUJIKURA						
139	**Ventus Hybrid Blue VeloCore 8**	Up-charge	S X	86 86	2.4 2.2	Mid
GRAPHITE DESIGN						
140	**Tour AD 50 Lady HYB**	Standard	L	49	4.2	High
141	**Tour AD DI-75 Hybrid**	Up-charge	S	78	3.1	Low/Mid
142	**Tour AD DI-85 Hybrid**	Up-charge	S X	88	2.4	Low/Mid
143	**Tour AD DI-95 Hybrid**	Up-charge	S X	98 99	2.4	Low
144	**Tour AD DI-105 Hybrid**	Up-charge	S X	106 109	2.3	Low
145	**Tour AD HYB 85**	Standard	R	88	2.4	Mid
146	**Tour AD HYB Black 65**	Standard	R S	67	3.5	Mid
147	**Tour AD HYB Black 75**	Standard	R S	77 78	3.1	Mid
148	**Tour AD HYB Black 85**	Standard	R S X	88 88 89	2.4	Mid
149	**Tour AD HYB Black 95**	Standard	S X	97 98	2.1	Mid
150	**Tour AD HYB Blue 65**	Standard	R S	67	3.5	Mid
151	**Tour AD HYB Blue 75**	Standard	R S	77 78	3.1	Mid
152	**Tour AD HYB Blue 85**	Standard	R S X	88 88 89	2.4	Mid
153	**Tour AD HYB Blue 95**	Standard	S X	97 98	2.1	Mid
MCA						
154	**Bassara H 40**	Standard	L	44	5.0	High
155	**Bassara H 50**	Standard	R	53.5	4.5	High
156	**Bassara K White HYB 40 (TSR1 Only)**	Standard	L	44	6.8	High
157	**Bassara K White HYB 50**	Standard	R	53.5	4.5	High
158	**Tensei CK Pro Red 50 HYB**	Standard	L	48	5.4	High
159	**Tensei CK Pro Red 60 HYB**	Standard	R	58	4.1	High
160	**Tensei CK Pro Blue 70 HYB**	Standard	R S	69 72	3.5 3.4	Mid
161	**Tensei CK Pro Blue 80 HYB**	Standard	S X	79 86	3.1 2.9	Mid
162	**Tensei CK Pro Orange 70 HYB**	Up-charge	S	71	3.9	Low/Mid
163	**Tensei CK Pro Orange 80 HYB**	Up-charge	S	82	3.2	Low/Mid
164	**Tensei CK Pro White 90 HYB**	Standard	S X	89 94	2.8 2.6	Low
UST MAMIYA						
165	**Attas EZ 370 65 HYB**	Standard	S	67	3.2	Mid
166	**Attas EZ 370 75 HYB**	Standard	S	76	2.6	Low/Mid
167	**Attas EZ 370 85 HYB**	Standard	S X	84 86	2.1	Low/Mid
168	**Attas EZ 370 95 HYB**	Standard	S X	93 95	1.7	Low
FST						
169	**KBS Tour HYB Prototype 75**	Standard	R S	75	-	Mid
170	**KBS Tour HYB Prototype 85**	Standard	R S	85	-	Mid
171	**KBS Tour HYB Prototype 95**	Standard	S	95	-	Mid
PROJECT X						
172	**HZRDUS Smoke Black RDX 80 HYB**	Standard	5.5 6.0	80 81	2.4	Low
173	**New HZRDUS Black 4G 80 HYB**	Standard	5.5 6.0	77 79	2.3 2.1	Low/Mid

IRON & WEDGE SHAFTS

	AEROTECH	Type	Flex	Weight (g)	Torque	Launch
174	**SteelFiber i80cw**	Up-charge	R	85	2.9 - 2.5	Mid/High
175	**SteelFiber i95cw**	Up-charge	R S	95	2.5 - 2.1 2.4 - 2.0	Low/Mid
	FST					
176	**KBS C-Taper**	Up-charge	R S	110 120	2.0 - 1.8 1.8 - 1.6	Low
177	**KBS Tour**	Up-charge	R S X	110 120 130	2.1 - 1.9 1.9 - 1.7 1.7 - 1.5	Mid
178	**KBS Tour 90**	Up-charge	R	95	2.3 - 2.0	Mid
179	**KBS Tour FLT**	Up-charge	R S	110 120	2.1 - 2.0 1.9 - 1.8	Mid/High
180	**KBS Tour Lite**	Up-charge	R S	95 100	2.0-2.3 1.8-2.1	Mid/High
	MCA					
181	**Fubuki MV IR 44**	Standard	L	45	4.4 - 4.1	High
182	**Fubuki MV IR 55**	Standard	R	55	3.4 - 3.0	High
183	**Tensei Pro Red AMC**	Up-charge	L	45-45-57 (4-7-W)	5.8 - 2.9	High
184	**Tensei AV Red AM2**	Up-charge	R	57-59-61-63-65 (4-8-9-P-W)	4.5 - 3.0	High
	NIPPON					
185	**NS Pro 750 GH WRAP TECH**	Up-charge	R	79	2.3	High
186	**NS Pro 850 GH**	Standard	R S	87 91	2.1 2.0	High
187	**NS Pro 950 GH NEO**	Up-charge	R S	94.5 98	1.9 1.7	Mid/High
188	**NS Pro 950 HT**	Standard	R S	94.5 98	2.0 1.8	Mid/High
189	**NS Pro Modus3 Tour 105**	Up-charge	R S	103 106.5	1.9 1.7	Mid
190	**NS Pro Modus3 Tour 120**	Up-charge	S	114	1.7	Mid
191	**NS Pro Modus3 Tour 130**	Up-charge	R	121	1.6	Low
192	**NS Pro Modus3 Wedge 105** (Wedge Only)	Up-charge	W	111	1.6	Mid
193	**NS Pro 880 AMC**	Standard	R S	93 - 105-105 (4-8-W) 93 - 107-107 (4-8-W)	2.5 - 2.0 2.1 - 1.9	Mid/High
194	**NS Pro Zelos 7**	Standard	R2	73.5	2.9	High
195	**NS Pro Zelos 8**	Standard	R	84	2.3	High
196	**NS 105 BV** (Wedge Only)	Standard	Wedge Flex	110	1.8	Mid/High
	PROJECT X					
197	**Project X**	Standard	5.0 5.5 6.0 6.5	110 115 120 125	1.8 - 1.6 1.8 - 1.6 1.7 - 1.5 1.7 - 1.5	Low
198	**Project X IO**	Up-charge	5.5 6.0	105 110	2.3 - 2.0 2.2 - 1.9	Mid/High
199	**Project X LS**	Up-charge	6.0 6.5	120 125	1.8 - 1.3 1.6 - 1.2	Low
200	**Project X LZ**	Standard	5.0 5.5 6.0 6.5	110 115 120 125	2.1 - 1.8 2.0 - 1.7 1.9 - 1.6 1.8 - 1.5	Mid

IRON & WEDGE SHAFTS

TRUE TEMPER		Type	Flex	Weight (g)	Torque	Launch
201	**Dynamic Gold AMT**	Standard	R300 S400 X100	106 - 127 (2-W) 111 - 132 (2-W) 109 - 130 (2-W)	2.1 - 1.5	Low
202	**DG Pro**	Standard	X100	127	2.0 - 1.6	Mid
203	**Dynamic Gold**	Standard	R300 R400 S200 S300 S400 X100	127 129 129 130 132 130	2.0 - 1.7 - 1.8 - 1.5 1.8 - 1.5 1.7 - 1.5 1.7 - 1.4	Low
204	**Dynamic Gold Tour Issue**	Up-charge	S400	132	1.7 - 1.5	Low
205	**Dynamic Gold Tour Issue ONYX** (Wedge Only)	Up-charge	S400 X100	132 130	1.7 - 1.5	Low
206	**Dynamic Gold EX Tour Issue**	Up-charge	S200 X100	131 132	-	Low
207	**Dynamic Gold AMT Tour White**	Standard	S200 X100	112 - 130 (3-W) 112 - 130 (3-W)	2.2 - 1.6 2.0 - 1.5	Low
208	**Dynamic Gold AMT Black**	Standard	R300	94 - 115 (4-W)	2.3 - 1.9	Mid
209	**Dynamic Gold 95**	Standard	R300 S200	95	-	Mid
210	**Dynamic Gold 105**	Up-charge	R300 S200	101 103	2.2 - 1.9 2.1 - 1.8	Mid/Low
211	**Dynamic Gold 120**	Standard	R300 S200	116 118	2.1 - 1.8 2.0 - 1.7	Low
GRAPHITE DESIGN						
212	**Tour AD 50 Lady**	Standard	L	50	3.9	High

SHAFTS

1. Rogue Black

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

2. AutoFlex (Driver Only)

This Shaft Fits: **D** DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

3~5. Speeder Evolution III

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

6~8. Speeder Evolution V

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

9~11. Speeder Evolution VI

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

12~14. Speeder TR

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

15~17. Speeder NX

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

18. Titleist Speeder 519 Evolution

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

19~20. Ventus Blue VeloCore

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

21~22. Ventus Black VeloCore

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

23~25. Ventus TR Blue

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

26. Tour AD SL-II 4

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

27~29. Tour AD DJ

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

30~33. Tour AD DI

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

34~36. Tour AD BB

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

37~40. Tour AD GT

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

41~44. Tour AD MT

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

45~47. Tour AD MJ

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

SHAFTS

48~50. Tour AD PT

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

51~53. Tour AD GP

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

54~56. Tour AD TP

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

57~61. TOUR AD IZ

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

62~64. Tour AD XC

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

65~67. Tour AD HD

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

68~70. Tour AD UB

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

71~73. Tour AD CQ

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

74~75. Titleist Tour AD

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

76~77. Tour AD F (Fairway Only)

This Shaft Fits: D DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

78~79. Fubuki K

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

80~82. Fubuki V

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

83. Bassara P

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

84~85. Bassara K

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

86~87. Bassara K White

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

88~89. Kuro Kage XM

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

90. Kuro Kage Black 45

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

91~92. Diamana 'ahina

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

93. Diamana 'ilima

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

94~95. Diamana W

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

96~97. Diamana R

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

98~99. Diamana LTD M+

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

100~101. Diamana LTD S+

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

102~103. Diamana BF

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

104~106. Diamana DF

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

107~109. Diamana ZF

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

110~112. Diamana TB

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

113~115. Diamana PD

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

116~118. Tensei CK Pro Orange

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

119~121. Tensei 1K Pro White

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

122~124. Tensei 1K Pro Orange

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

125~126. Tensei 1K Black

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

127~128. Tensei AV Blue

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

129~131. Tensei AV RAW Blue

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

132~133. Tensei AV RAW White

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

134~135. Tensei AV Blue with Xlink Tech

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

136~137. ATTAS7 PUNCH

This Shaft Fits: **D** DRIVERS **F** FAIRWAYS H HYBRIDS I IRONS W WEDGES

138. Rogue Black HYB 85

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

139. Ventus Hybrid Blue VeloCore 8

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

140. Tour AD 50 Lady HYB



This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

141~144. Tour AD DI Hybrid

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

145. Tour AD HYB 85

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

146~149. Tour AD HYB Black

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

150~153. Tour AD HYB Blue

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

154~155. Bassara H

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

156~157. Bassara K White HYB

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

158~159. Tensei CK Pro Red HYB

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

160~161. Tensei CK Pro Blue HYB

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

162~163. Tensei CK Pro Orange HYB

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

164. Tensei CK Pro White 90 HYB

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

165~168. Attas EZ 370 HYB

This Shaft Fits: D DRIVERS F FAIRWAYS **H** HYBRIDS I IRONS W WEDGES

169~171. KBS Tour HYB Prototype

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS **I** IRONS **W** WEDGES

172. HZRDUS Smoke Black RDX 80 HYB

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS **I** IRONS **W** WEDGES

173. **New** HZRDUS Black 4G 80 HYB

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS **I** IRONS **W** WEDGES

174~175. SteelFiber

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

176. KBS C-Taper

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

177. KBS Tour

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

178. KBS Tour 90

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

179. KBS Tour FLT

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

180. KBS Tour Lite

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

181. Fubuki MV IR 44

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

182. Fubuki MV IR 55

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

183. Tensei Pro Red AMC

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

184. Tensei AV Red AM2

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

185. NS Pro 750 GH WRAP TECH

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

186. NS Pro 850 GH

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

187. NS Pro 950 GH NEO

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

188. NS Pro 950 HT

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

189~191. NS Pro Modus3 Tour

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

192. NS Pro Modus3 Wedge 105 (Wedge Only)

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

193. NS Pro 880 AMC

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

194~195. NS Pro Zelos

This Shaft Fits: D DRIVERS F FAIRWAYS H HYBRIDS I IRONS W WEDGES

196. NS 105 BV (Wedge Only)

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

197. Project X

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

198. Project X IO

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

199. Project X LS

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

200. Project X LZ

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

201. Dynamic Gold AMT



This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

202. DG Pro

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

203. Dynamic Gold

This Shaft Fits: D · F · H HYBRIDS · I IRONS · W WEDGES

204. Dynamic Gold Tour Issue

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

205. Dynamic Gold Tour Issue ONYX (Wedge Only)

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

206. Dynamic Gold EX Tour Issue

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

207. Dynamic Gold AMT Tour White

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

208. Dynamic Gold AMT Black

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

209~211. Dynamic Gold 95/105/120

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

212. Tour AD 50 Lady

This Shaft Fits: D DRIVERS · F FAIRWAYS · H HYBRIDS · I IRONS · W WEDGES

GRIPS

GOLF PRIDE		Type	Weight (g)	.580 Core	.600 Core	(Undersized) .580 Core	(Undersized) .600 Core
1	Titleist Tour Velvet	Standard	50g, 40g		●		
2	Titleist Tour Velvet 360° LT	Up-charge	23g				●
3	Tour Velvet 360° Gray	Standard	52g, 50g, 44g, 40g	●	●	●	●
4	Tour Velvet 360° Lite Gray Flat Cap (TSR1 D기본 그립)	Standard	30g, 25g		●		●
5	Tour Velvet 360° Gray Flat Cap (TSI & 620 기본 그립)	Standard	52g, 50g, 44g, 40g	●	●	●	●
6	Tour Velvet 360° White Flat Cap	Standard	44g			●	
7	Tour Velvet 360° Lite+ Dark Gray Flat Cap (TSR1 F, T400 기본 그립)	Standard	44g, 42g, 33g	●	●		●
8	Tour Velvet 360° No Fill Flat cap (TSR 기본 그립)	Standard	52g, 50g, 44g, 40g	●	●	●	●
9	New Titlsist Universal 360 (T-series 기본 그립)	Standard	52g, 50g	●	●		
10	Tour Velvet	Standard	49.5g		●		
11	Tour Velvet Ribbed	Standard	51.5g	●			
12	Tour Velvet Midsize	Standard	53.5g		●		
13	Tour Velvet Plus 4	Up-charge	52g		●		
14	CP2 Pro	Up-charge	51.5g		●		
15	Decade Multi-Compound / Red	Up-charge	46.5g		●		
16	Decade Multi-Compound / White	Up-charge	46.5g		●		
17	Decade Multi-Compound / Blue	Up-charge	46.5g		●		
18	Decade Multi-Compound / Black	Up-charge	46.5g		●		
19	MCC Plus 4 / Light Blue	Up-charge	52g		●		
20	MCC Plus 4 / Grey	Up-charge	52g, 47g		●	●	
21	MCC Plus 4 / Red	Up-charge	52g		●		
22	MCC Align White	Up-charge	51g		●		
23	MCC +4 Align Gray	Up-charge	53g		●		
24	Z-GRIP Cord	Up-charge	50.5g		●		
IOMIC							
25	Sticky 2.3 Black	Up-charge	50g		●		
26	Sticky 2.3 Red	Up-charge	50g		●		
27	Sticky 2.3 Navy	Up-charge	50g		●		
28	Sticky 2.3 Orange	Up-charge	50g		●		

GRIPS

GOLF PRIDE

GOLF PRIDE

GOLF PRIDE

IOMIC

WEDGE GRIPS

	VOKEY DESIGN	Type	Weight (g)	.580 Core	.600 Core	(Undersized) .580 Core	(Undersized) .600 Core
1	**Vokey Tour Velvet**	Up-charge	50g		●		
2	**Vokey Tour Velvet 360°**	Up-charge	50g		●		
3	**Vokey Tour Velvet 360° - Black**	Up-charge	50g		●		
4	**Vokey Multi-Compound White**	Up-charge	46.5g		●		
5	**Vokey Multi-Compound Black**	Up-charge	46.5g		●		
6	**Vokey Multi-Compound Dark Blue Platinum**	Up-charge	46.5g		●		
7	**Vokey Multi-Compound Blue/White**	Up-charge	46.5g		●		
8	**Vokey Multi-Compound Plus4 Blue**	Up-charge	52g		●		
9	**Vokey Sticky 2.3 Red**	Up-charge	50g		●		

VOKEY DESIGN

CLUB SPEC OPTION SUMMARY

DRIVERS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS	LENGTH RANGE
TSR1	9°(RH), 10°, 12°(RH)	-.75° to +1.5°	59.0°	-.75° to +1.5°	Male STD : 45.75" Female STD : 44.5"(12°)	-2" to +1.25"
TSR2	8°(RH), 9°, 10°, 11°(RH)	-.75° to +1.5°	58.5°	-.75° to +1.5°	45.5"	-2" to +1.5"
TSR3	8°(RH), 9°, 10°	-.75° to +1.5°	58.5°	-.75° to +1.5°	45.5"	-2" to +1.5"
TSR4	8°(RH), 9°, 10°(RH)	-.75° to +1.5°	58.5°	-.75° to +1.5°	45.25"	-2" to +1.5"

FAIRWAYS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS	LENGTH RANGE
TSR1	15°, 18°, 20°(RH), 23°(RH)	-.75° to +1.5°	56.5°, 57.5°, 58°, 58.5°	-.75° to +1.5°	43", 42", 41.5", 41"	-2" to +2"
TSR2	15°, 16.5°, 18°, 21°(RH)	-.75° to +1.5°	56.5°, 56.5°, 57.5°, 58°	-.75° to +1.5°	43", 43", 42", 41.5"	-2" to +2"
TSR2+	13°, 14.5°	-.75° to +1.5°	56.5°	-.75° to +1.5°	43"	-2" to +2"
TSR3	13.5°, 15°, 16.5°, 18°(RH)	-.75° to +1.5°	56.5°, 56.5°, 56.5°, 57.5°	-.75° to +1.5°	43", 43", 43", 42"	-2" to +2"

HYBRIDS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS	LENGTH RANGE
TSR1	20°(RH), 23°, 26°, 29°(RH)	-1° to +2°	57°, 57.5°, 58°, 58.5°	-1° to +2°	Male STD : 40.5"(20°), 40"(23°), 39.5"(26°), 39"(29°) Female STD : 39"(20°), 38.5"(23°), 38"(26°), 37.5"(29°)	-2" to +2"
TSR2	18°, 21°, 24°	-1° to +2°	57°, 57.5°, 58°	-1° to +2°	40.5", 40", 39.5"	-2" to +2"
TSR3	19°(RH), 21°, 24°	-1° to +2°	57°, 57.5°, 58°	-1° to +2°	40.5", 40", 39.5"	-2" to +2"

IRONS	1	2	3	4	5	6	7	8	9	P	W	W2	W3	LIE RANGE	LENGTH RANGE
NEW T100	—	—	21°	24°	27°	30°	34°	38°	42°	46°	50°	—	—	-2° to +2°	-2" to +2"
NEW T150	—	—	19°	22°	25°	28°	32°	36°	40°	44°	48°	—	—	-2° to +2°	-2" to +2"
NEW T200	—	—	—	21°	24°	27°	30.5°	34.5°	38.5°	43°	48°	—	—	-2° to +2°	-2" to +2"
NEW T350	—	—	—	20°	23°	26°	29°	33°	38°	43°	48°	53°	—	-2° to +2°	-2" to +2"
T400	—	—	—	—	20°	23°	26°	29°	33°	38°	43°	49°	55°	-2° to +2°	-2" to +2"
620 CB	—	—	21°	24°	27°	31°	35°	39°	43°	47°	—	—	—	-2° to +2°	-2" to +1"
620 MB	—	—	21°	24°	27°	31°	35°	39°	43°	47°	—	—	—	-2° to +2°	-2" to +1"
CP-02	—	—	20°	23°	26°	29°	32°	36°	40°	44°	48°	—	—	-2° to +2°	-2″ to +2″
CP-03	—	—	19°	22°	25°	28°	31°	35°	39°	43°	48°	—	—	-2° to +2°	-2″ to +2″
CP-04	—	—	—	21°	24°	27°	30°	34°	38°	43°	48°	—	—	-2° to +2°	-2″ to +2″
NEW U-505	16°	18°	20°	22°	—	—	—	—	—	—	—	—	—	-2° to +1 °	-2″ to +1″
NEW T200U	—	17°	20°	23°	—	—	—	—	—	—	—	—	—	-2° to +1°	-2″ to +1″
LIE	**60°**	**60.5°**	**61°**	**61.5°**	**62°**	**62.5°**	**63°**	**63.5°**	**64°**	**64°**	**64°**	**64°**	**64°**	—	—
LENGTH*	**40.00"**	**39.50"**	**39.00"**	**38.50"**	**38.00"**	**37.50"**	**37.00"**	**36.50"**	**36.00"**	**35.75"**	**35.50"**	**35.50"** **35.25"** (T400)	— **35.25"** (T400)	—	—

VOKEY DESIGN® WEDGES	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS	LENGTH RANGE
SM9 Tour Chrome	46° to 62°	-1° to +1°	64°	-2° to +2°	35.75″ to 35″	-2″ to +2″
SM9 Brushed Steel	46° to 62°	-1° to +1°	64°	-2° to +2°	35.75″ to 35″	-2″ to +2″
SM9 Jet Black	46° to 62°	-1° to +1°	64°	-2° to +2°	35.75″ to 35″	-2″ to +2″

SCOTTY CAMERON® PUTTERS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS	LENGTH RANGE
Phantom X 2022	3.5°	—	70°	—	33″, 34″, 35″	—
2023 Super Select	3.5°	—	70°	—	33″, 34″, 35″	—

* U-Series & T200 Utility는 하이브리드용 그라파이트 샤프트 장착 시 +1/4" 길게 제작됩니다.

* 왼손용 클럽은 일부 옵션만 제공됩니다.

MOST RECENT UPDATES

삭 제	샤프트	드라이브 & 페어웨이	GRAPHITE DESIGN	**Tour AD BB-6**	일부 FLEX 삭제
삭 제	샤프트	드라이브 & 페어웨이	GRAPHITE DESIGN	**Tour AD MT-6**	일부 FLEX 삭제
삭 제	샤프트	드라이브 & 페어웨이	GRAPHITE DESIGN	**Tour AD MJ-5**	전체 삭제
추 가	샤프트	하이브리드 & 유틸리티	PROJECT X	**HZRDUS Black 4G 80 HYB**	신규 샤프트 추가
추 가	그립	Standard	GOLF PRIDE	**Titlsist Universal 360 (T-series)**	신규 그립 추가
삭 제	그립	Standard	GOLF PRIDE	**Tour Velvet 360°**	전체 삭제
삭 제	그립	Up–charge	GOLF PRIDE	**Decade Multi-Compound / Yellow**	전체 삭제

Titleist®

아쿠쉬네트 코리아 주식회사
06100, 서울특별시 강남구 선릉로 651(논현동)
www.titleist.co.kr | team.titleist.co.kr

© 2022/2023 아쿠쉬네트 코리아. 아쿠쉬네트 코리아는 타이틀리스트, FJ를 소유한 아쿠쉬네트 컴퍼니의 한국지사입니다.